



7234 Truffle

	US Units	Metric Units
Style Number	1051V	
Construction	WPC	
Profile	Fold-N-Tap	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.315"	8 mm
Wear Layer Thickness	20 mil (0.02")	0.5 mm
Attached Underlayment	Attached Pad	
Attached Underlayment Thickness	0.059"	1.5 mm
Finish	ArmourBead®	
Edge Description	Pressed Bevel	
Area per Carton	18.81 sq ft	1.75 sq m
Area per Pallet	1316.7 sq ft	122.33 sq m
Installation	Floating or Direct Glue	
Installation Grade	Above, On, Below	
FloorScore Certified	Yes	
Residential Warranty	Lifetime Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof Residential Resilient WPC/SPC Waterproof Products Limited Warranty	
Commercial Warranty	10 Year Light Commercial	
Radiant Panel (ASTM E648)	Passes, Class I	

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Features

This style is part of the Floorte Collection of top-selling luxury vinyl from Shaw Floors offering the best in high-performance and low-maintenance waterproof floors.

Colors



1098 Alabaster



1099 Bluff



2044 Marzipan



5130 Smoke





6012 Honeycomb



Suggested Adhesive

Style Name	Style Number
------------	--------------

Coordinating Trim

				
Baby Threshold*	T-Molding*	Multi-Purpose Reducer	Quarter Round	Flush Stairnose
BT7HS 94"	TM7HS 94"	RD7HS 94"	QTRHS 94"	FS7HS 94"

*Packaged with molding track

Coordinating Stair Treads



Stair Tread	TRIHS
White Riser	LVWRI*

*packages of 3